



## TGFU.R18970 Roofing Systems

[Page Bottom](#)

### Roofing Systems

[See General Information for Roofing Systems](#)

#### ENGLERT INC

R18970

1200 AMBOY AVE

PERTH AMBOY, NJ 08861-1920 USA

#### OTHER SYSTEMS

##### Class A

1. **Deck:** C-15/32 or spaced sheathing

**Incline:** Unlimited

**Impact:** 4

**Underlayment:** — One layer "VersaShield Underlayment", mechanically fastened.

**Ply Sheet:** — One layer Type 30 base sheet or "VersaShield", mechanically fastened.

**Panels:** — Steel, zinc or copper roofing panels, designated "Series 1000", "Series 1100", "Series 1101", "Series 1300", "Series 1500", "Series 2000" or "Series 2500", mechanically fastened.

2. **Deck:** C-15/32 or spaced sheathing

**Incline:** Unlimited

**Impact:** 4

**Underlayment:** — One or more plies "VersaShield Underlayment", mechanically fastened.

**Panels:** — Steel, zinc or copper roofing panels, designated "Series 1000", "Series 1100", "Series 1101", "Series 1300", "Series 1500", "Series 2000" or "Series 2500", mechanically fastened.

3. **Deck:** C-15/32

**Incline:** Unlimited

**Impact:** 4

**Barrier Board:** — 1/4 in. min. G-P Gypsum DensDeck® with all joints staggered a min of 6 in. from the plywood joints.

**Insulation (Optional):** — Fiberglass, polyisocyanurate, perlite or wood fiber, any thickness.

**Membrane:** — Any UL Classified modified bitumen system, BUR system or CPE, CSM, CSPE, EPDM, NBP, PIB, PVC, TPO or TRE membrane system suitable for use with any roof insulation.

**Panels:** — Steel, zinc or copper roofing panels, designated "Series 1000", "Series 1100", "Series 1101", "Series 1300", "Series 1500", "Series 2000" or "Series 2500", mechanically fastened.

Last Updated on 2014-06-17

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".